

Safety Data Sheet 90% ARGON / 7.5% HELIUM / 2.5% CO2

Section 1: Product and Company Identification

Purity Cylinder Gases,Inc.

2580 28th St SW Wyoming, MI 49519 P: (616)532-2375 www.puritygas.com

Product Code: 90% ARGON / 7.5% HELIUM / 2.5% CO2

Part Number: AR TM
Synonyms:
Recommended Use:
Usage Restrictions:

Section 2: Hazards Identification



Hazard Classification: Gases Under Pressure

Hazard Statements:

Contains gas under pressure; may explode if heated

Precautionary Statements

Storage:

Protect from sunlight. Store in well-ventilated place.

Section 3: Composition/Information on Ingredients

| | CAS# | Concentration |
|--------|-----------|---------------|
| Argon | 7440-37-1 | 90 |
| Helium | 7440-59-7 | 7.5 |

Purity Cylinder Gases,Inc.
Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

page 1 of 7

Date of Preparation: 03/03/2025 11:10:32

| | CAS# | Concentration |
|----------------|----------|---------------|
| Carbon Dioxide | 124-38-9 | 2.5 |

| | Chemical Substance | Chemical Family | Trade Names |
|-------------------|------------------------|-----------------|---|
| Argon | ARGON, COMPRESSED | Inorganic gases | ARGON; UN 1006; AR |
| Helium | HELIUM | Inorganic gases | HELIUM GAS; HELIUM COMPRESSED; HELIUM-4; ATOMIC HELIUM; UN 1046; He |
| Carbon Dioxide | CARBON DIOXIDE, GAS | Inorganic gases | CARBONIC ACID GAS; CARBONIC ANHYDRIDE; CARBON DIOXIDE; CARBON OXIDE; UN 1013; CO2 |

Section 4: First Aid Measures

| | Skin Contact | Eye Contact | Ingestion | Inhalation | Note to Physicians |
|-------------------|--|--|--|--|----------------------------------|
| Argon | Not applicable route of exposure | Flush eyes with plenty of water. | Not applicable route of exposure | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |
| Helium | Wash exposed skin with soap and water. | Flush eyes with plenty of water. | If a large amount is swallowed, get medical attention. | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |
| Carbon Dioxide | If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention. | Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention. | Do not induce vomiting. | If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention. | For inhalation, consider oxygen. |

Section 5: Fire Fighting Measures

| | Suitable Extinguishing Media | Products of Combustion | Protection of Firefighters |
|-------------------|---|------------------------|--|
| Argon | Non-flammable gas | Not applicable | ■ N/A ■ N/A |
| Helium | Non-flammable. Use suitable extinguishing media for surrounding fire. | Non-flammable | Non-flammableNon-flammable |
| Carbon Dioxide | Non-flammable | Non-flammable | Any appropriate escape-type, self-contained breathing apparatus.Non-flammable |

Section 6: Accidental Release Measures

| Personal Precautions | Environmental Precautions | Methods for |
|----------------------|---------------------------|-------------|
| | | Containment |

| | Personal Precautions | Environmental Precautions | Methods for Containment |
|-------------------|---|--|--|
| Argon | Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. | None known. | Stop leak if possible without personal risk. |
| Helium | Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. | Avoid soil, waterways, drains and sewers | Stop leak if possible without personal risk. |
| Carbon Dioxide | Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do not touch spilled material. | Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). Keep out of water supplies and sewers. | Stop leak if possible without personal risk. |

| | Methods for Cleanup | Other Information |
|----------------|--|-------------------|
| Argon | Leaks may be detected by a soapy-water solution. | |
| Helium | Stop leak, evacuate area. Contact emergency personnel. | None |
| Carbon Dioxide | Stop leak, evacuate, remove source of ignition. | None |

Section 7: Handling and Storage

| | Handling | Storage |
|-------------------|--|---|
| Argon | Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances. | Avoid using in confined spaces. |
| Helium | Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. | Keep separated from incompatible substances. |
| Carbon Dioxide | Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances. | Store and handle in accordance with all current regulations and standards |

Section 8: Exposure Controls/Personal Protection

| | Exposure Guidelines |
|---------|--|
| Argon | ARGON, COMPRESSED: ARGON: ACGIH (simple asphyxiant) |
| Helium | HELIUM: ACGIH (simple asphyxiant) |
| Carbon | CARBON DIOXIDE, GAS: CARBON DIOXIDE: 5000 ppm (9000 mg/m3) OSHA TWA 10000 ppm (18000 mg/m3) OSHA TWA |
| Dioxide | (vacated by 58 FR 35338, June 30, 1993) 30000 ppm (54000 mg/m3) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 5000 |
| | ppm ACGIH TWA 30000 ppm ACGIH STEL 5000 ppm (9000 mg/m3) NIOSH recommended TWA 10 hour(s) 30000 ppm (54000 |
| | mg/m3) NIOSH recommended STEL |

Engineering Controls

Handle only in fully enclosed systems.

| | j ···· · ······ j ··················· | - | |
|---------|---|--------------------------------------|-------------------------|
| | Eye Protection | Skin Protection | Respiratory Protection |
| Argon | Eye protection not required, but recommended. | Protective clothing is not required. | N/A |
| Helium | Eye protection not required, but recommended. | Protective clothing is not required. | Non-flammable |
| Carbon | For the gas: Eye protection not required, but recommended. For the | For the gas: Protective clothing is | Any appropriate escape- |
| Dioxide | liquid: Wear splash resistant safety goggles. Contact lenses should | not required. For the liquid: Wear | type, self-contained |
| | not be worn. Provide an emergency eye wash fountain and quick | appropriate protective, cold | breathing apparatus. |
| | drench shower in the immediate work area. | insulating clothing. | |

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

| | Physical State | Appearance | Color | Change in Appearance | Physical Form | Odor | Taste |
|----------------|----------------|------------|-----------|----------------------|---------------|----------|------------|
| Argon | Gas | Colorless | Colorless | N/A | Gas | Odorless | Tasteless |
| Helium | Gas | Colorless | Colorless | N/A | Gas | Odorless | Tasteless |
| Carbon Dioxide | Gas | Colorless | Colorless | N/A | Gas | Odorless | Acid taste |

Purity Cylinder Gases,Inc. Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

| | Flash Point | Flammability | Partition Coefficient | Autoignition Temperature | Upper Explosive Limits | Lower Explosive Limits |
|-------------------|---------------|---------------|--------------------------|-----------------------------|---------------------------|---------------------------|
| Argon | Not flammable | | | Nonflammable | Nonflammable | Nonflammable |
| Helium | Not flammable | Not available | Not available | Nonflammable | Nonflammable | Nonflammable |
| Carbon Dioxide | Not flammable | Not available | N/A | Nonflammable | Nonflammable | Nonflammable |

| | Boiling Point | Freezing Point | Vapor Pressure | Vapor Density | Specific Gravity | Water Solubility | рН | Odor Threshold | Evaporation Rate | Viscosity |
|-------------------|---------------------|------------------------------------|---------------------------|------------------|---------------------|---------------------|---|-------------------|---------------------|----------------------------|
| Argon | -303 F (- 186 C) | -308 F (- 189 C) | 500 mmHg @ -190 C | 1.38 (Air=1) | Not applicable | 3.36% @ 20 C | Not applicable | Not available | Not applicable | 0.0225 cP @ 25 C |
| Helium | -452 F (- 269 C) | -458 F (- 272 C) at 26 atm | 1719 mmHg at -268 C | 0.138 (Air=1) | Not applicable | 0.94% at 0 C | Not applicable | Not available | Not applicable | 0.02012 cP at 26.8 C |
| Carbon Dioxide | Not available | -71 F (-57 C) @ 4000 mmHg | 43700 mmHg @ 21 C | 1.5 (Air=1) | 1.522 @ 21 C | Soluble | 3.7 (saturated aqueous solution) @ 101.3 kPa (carbonic acid) | Not available | Not applicable | 0.01657 cP @ 0 C |

| | Molecular Weight | Molecular Formula | Density | Weight per Gallon | Volatility by Volume | Volatility | Solvent Solubility |
|-------------------|---------------------|----------------------|----------------------|----------------------|----------------------|----------------|---|
| Argon | 39.948 | AR | 1.784 g/L @ 0 C | Not available | 100% | Not applicable | Soluble: Organic solvents |
| Helium | 4.0026 | He | 0.1785 g/L at 0 C | Not available | 100% | Not applicable | Insoluble: Not available |
| Carbon Dioxide | 44.01 | C-O2 | 0.114 | Not available | Not applicable | Not applicable | Soluble: Alcohol, acetone, hydrocarbons, organic solvents |

Section 10: Stability and Reactivity

| | Stability | Conditions to Avoid | Incompatible Materials |
|-------------------|---|---|--|
| Argon | Stable at normal temperatures and pressure. | Stable at normal temperatures and pressure. | No data available. |
| Helium | Stable at normal temperatures and pressure. | Stable at normal temperatures and pressure. | No data available. |
| Carbon Dioxide | Stable at normal temperatures and pressure. | Stable at normal temperatures and pressure. | Combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases |

| | Hazardous Decomposition Products | Possibility of Hazardous Reactions |
|----------------|--------------------------------------|------------------------------------|
| Argon | No data available. | Will not polymerize. |
| Helium | Miscellaneous decomposition products | Will not polymerize. |
| Carbon Dioxide | Carbon monoxide | Will not polymerize. |

Section 11: Toxicology Information

Acute Effects

| | Oral LD50 | Dermal LD50 | Inhalation |
|--------|-----------------|-----------------|--|
| Argon | Not established | Not established | Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma |
| Helium | Not available | Not available | Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, emotional disturbances, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma |

Purity Cylinder Gases,Inc. page 4 of 7 Date of Preparation: 03/03/2025 11:10:32

| | Oral LD50 | Dermal LD50 | Inhalation |
|-------------------|-----------------|-----------------|--|
| Carbon Dioxide | Not established | Not established | Ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma |

| | Eye Irritation | Skin Irritation | Sensitization |
|----------------|---|---|----------------------|
| Argon | No information on significant adverse effects | No information on significant adverse effects | |
| Helium | Liquid: frostbite, blurred vision | Liquid: frostbite | Difficulty breathing |
| Carbon Dioxide | Irritation, frostbite, blurred vision | Liquid: blisters, frostbite | Difficulty breathing |

Chronic Effects

| | Carcinogenicity | Mutagenicity | Reproductive Effects | Developmental Effects |
|----------------|-----------------|-----------------|----------------------|-----------------------|
| Argon | Not established | Not established | Not established | No data |
| Helium | Not available | Not available | Not available | No data |
| Carbon Dioxide | Not available | Not established | Available. | No data |

Section 12: Ecological Information

Fate and Transport

| | Eco toxicity | Persistence / Degradability | Bioaccumulation / Accumulation | Mobility in Environment |
|-------------------|--|---|--|-----------------------------|
| Argon | Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available | Not available | Not available | Not available |
| Helium | Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available | Not available | Not available | Not available |
| Carbon Dioxide | Fish toxicity: 150000 ug/L 48 day(s) (Mortality) Brown trout (Salmo trutta) Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available | Relatively non-persistent in the environment. Moderately volatile from water. | Accumulates very little in the bodies of living organisms. | Leaches through the soil |

Section 13: Disposal Considerations

| Argon | Dispose in accordance with all applicable regulations. |
|----------------|--|
| Helium | Dispose in accordance with all applicable regulations. |
| Carbon Dioxide | Dispose in accordance with all applicable regulations. |

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

DOT Information For This Mixture

| Shipping Name | Compressed gas, n.o.s. (Argon, Helium) | |
|--------------------|--|--|
| UN Number | UN1956 | |
| Hazard Class | 2.2 | |
| Hazard Information | Non-Flammable Gas | |
| | | |
| | | |

page 5 of 7 Purity Cylinder Gases,Inc. Date of Preparation: 03/03/2025 11:10:32

Individual Component Information

| | Proper Shipping Name | ID Number | Hazard Class or Division | Packing Group | Labeling Requirements | Passenger Aircraft or Railcar Quantity Limitations | Cargo Aircraft Only Quantity Limitations | Additional Shipping Description |
|-------------------|----------------------------|--------------|--------------------------------|------------------|--------------------------|---|--|---------------------------------------|
| Argon | Argon, compressed | UN1006 | 2.2 | Not applicable | 2.2 | 75 kg or L | 150 kg | N/A |
| Helium | Helium, compressed | UN1046 | 2.2 | Not applicable | 2.2 | 75 kg or L | 150 kg | N/A |
| Carbon Dioxide | Carbon dioxide | UN1013 | 2.2 | Not applicable | 2.2 | 75 kg or L | 150kg | None |

Canadian Transportation of Dangerous Goods

| | Shipping Name | UN Number | Class | Packing Group / Risk Group |
|----------------|--------------------|-----------|-------|----------------------------|
| Argon | Argon, compressed | UN1006 | 2.2 | Not applicable |
| Helium | Helium, compressed | UN1046 | 2.2 | Not applicable |
| Carbon Dioxide | Carbon dioxide | UN1013 | 2.2 | Not applicable |

Section 15: Regulatory Information

U.S. Regulations

| | CERCLA Sections | SARA 355.30 | SARA 355.40 | |
|----------------|-----------------|----------------|----------------|--|
| Argon | Not regulated. | Not regulated. | Not regulated. | |
| Helium | Not regulated. | Not regulated. | Not regulated. | |
| Carbon Dioxide | Not regulated. | Not regulated. | Not regulated. | |

SARA 370.21

| | Acute | Chronic | Fire | Reactive | Sudden Release |
|----------------|-------|---------|------|----------|----------------|
| Argon | Yes | No | No | No | Yes |
| Helium | Yes | No | No | No | Yes |
| Carbon Dioxide | Yes | No | No | No | Yes |

SARA 372.65

| Argon | Not regulated. | |
|----------------|----------------|--|
| Helium | Not regulated. | |
| Carbon Dioxide | Not regulated. | |

OSHA Process Safety

| Argon | Not regulated. | |
|----------------|----------------|--|
| Helium | Not regulated. | |
| Carbon Dioxide | Not regulated. | |

State Regulations

| | CA Proposition 65 |
|----------------|-------------------|
| Argon | Not regulated. |
| Helium | Not regulated. |
| Carbon Dioxide | Not regulated. |

Canadian Regulations

| Odriddidii Neg | Jaiations |
|----------------|----------------------|
| | WHMIS Classification |
| Argon | Α |
| Helium | Α |
| Carbon Dioxide | Α |

National Inventory Status

| Transfer in Fortion y Charles | | | | | |
|-------------------------------|----------------------|------------------------------|-----------------------------|--|--|
| | US Inventory (TSCA) | TSCA 12b Export Notification | Canada Inventory (DSL/NDSL) | | |
| Argon | Listed on inventory. | Not listed. | Listed on inventory. | | |
| Helium | Listed on inventory. | Not listed. | Not determined. | | |
| Carbon Dioxide | Listed on inventory. | Not listed. | Listed on inventory. | | |

Section 16: Other Information

| | • |
|----------------|---|
| | NFPA Rating |
| Argon | HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA |
| Helium | HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA |
| Carbon Dioxide | HEALTH=3 FIRE=0 REACTIVITY=0 SPECIAL=SA |

^{0 =} minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

page 7 of 7 Date of Preparation: 03/03/2025 11:10:32 Purity Cylinder Gases,Inc.