SafTcart Cylinder Cart

- Firewall & lifting eye (rated to 1,000 lbs.)
- Perfect for large construction sites
- 16" pneumatic wheels
- Two 1/4" steel perma clamps for cylinder security

5**625**00 STC 552-16FW



Black Stallion Welding Screens

- Convenient, portable protection
- Saf-Vu 14 mil translucent vinyl
- Physical barrier contains sparks
- Shields against UV light
- Shields against radiation
- Meets NFPA 701 CFM

WeldMark

Folding

Pipe Stand

Adjustable from 32" to 48"

Oversized square tube legs

10" V-head for increased safety

 Quick-lock washer for easy & quick height adjustments Safety washer can be locked onto the base

995

WEM 3900

Holds up to 2,500 lbs.

Folded

ORDER #	SIZE	FRAME	PRICE
6X6VF1-ORA	6' x 6'	standard	\$70.95
6X8VF1-ORA	6' x 8'	standard	\$84.95
6X10VF1-ORA	6' x 10'	standard	\$97.95
6X6VSQF1-ORA	6' x 6'	heavy duty	\$91.95
6X8VSQF1-ORA	6' x 8'	heavy duty	\$105.95

HE[®]**M** Saw **Portable Band Saw**

CONSTRUCTION

Saw Parts & Accessorie

BLACK STALLION

WELDMARK

- 3.9" x 3.3" H @ 90° (4.1" Round) 2.5" x 2.3" H @ 45° (2.5" Round)
- Blade Size: 1/2" x 52-1/2" x .025"
- Motor: 2-Speed (115V)

\$575°° HEM F782XLH00000

Hi-Vis Safety Vests

- ANSI class 2, type R
- Breathable polyester mesh
- 2" reflective tape
- Exterior & interior pocket
- Left shoulder mic tab
- Available in lime or orange
- Sizes: Small 5XL



(Lime) REV VS2020LM(size) (Orange) REV VS2O2OOR(size)

WeldMark Extension Cords

- 12/3 SJTW yellow
- Indoor/outdoor 3 wire conductor
- 15 amps, 1875 watts, 125 volts
- Red glow power indicator

9	ORDER#	LENGTH	PRICE	
/	WEM WM1025123	25'	\$27.95	
	WEM WM1050123	50'	\$48.95	
	WEM WM1100123	100'	\$79.95	

Cylinder Gases, Inc

		6X6VF1-ORA	6' x 6'	standard	\$70
		6X8VF1-ORA	6' x 8'	standard	-\$84
		6X10VF1-ORA	6' x 10'	standard	\$97
1	-	6X6VSQF1-ORA	6' x 6'	heavy duty	\$91
F		6X8VSQF1-ORA	6' x 8'	heavy duty	\$105

RELIABLE EQUIPMENT ENGINE DRIVES **Lincoln Ranger** LINCOLN 330MPX Miller Bobcat 260 with remote start/stop Easy-to-use digital controls • NEW remote start/stop feature Aluminum spool gun ready Great for stick and flux-cored welding Compact size Quiet operations, 33% sound reduction Low decibel rating Smaller & lighter design – 55lbs. lighter! Clean AC generator power • Air carbon arc cutting & gouging, flux CrossLinc capable cored, MIG, stick, TIG AC & DC Stick, TIG, MIG, flux-cored, gouging \$**4,925**00 \$**6,049**00 MIL 907792001 LIN K3459-1 HEAVY DUTY WELDER PACKAGES Lincoln Flextec 350X Miller XMT350 + Suitcase Feeder LINCOLN + LN-25X Feeder Increased portability & excellent arc performance Miler. 'Quick-Select' technology automatically CrossLinc technology allows welder to selects the welding process, be controlled from hundreds of feet away without cables correct polarity, cable outputs and welding parameters Reliable and rugged power source • 208-575V, 50/60 Hz, Capable of carbon arc gouging Tweco-style connectors Streamlined operator panel ArcReach welding technology Light weight and portable minimizes walking and maximizes welding • Desert duty rated for extreme temperatures up to 131°F • Air carbon arc cutting & gouging, Stick, flux-cored, MIG, TIG, carbon arc gouging flux cored, MIG, RMD, pulsed MIG, stick, TIG, TIG DC \$**8,455**95 ^{\$}6,267⁰⁰ LIN K4278-2 MIL 951735 TI-PROCESS MACHINES Lincoln Power MIG Miller Multimatic 215 210 MP LINCOLN Intuitive color LCD interface & ELECTRIC • Lightweight & portable - just 40 lbs. liler Auto-Set[™] Elite for easy setup • Dual voltage inputs plug into any common power supply • Multi-voltage plug (MVP) connects • Intuitive push-and-turn digital controls for easy setup practically anywhere • Large color display guides you Inverter technology combines through the setup process best-in-class arc characteristics • MIG, flux-cored, DC stick, with light weight portability DC TIG Angled cast-aluminum drive system (TIG Pkg. sold separately) Auto Spool Gun Detect[™] 1,**498**95 automatically detects when a MIG gun or spool gun is connected (no switch needed) • Flux-cored, MIG, stick, TIG DC LINK3963-1 MII 907693

Locally Owned and Operated Since 1938

DURIT

Call Purity Cylinder Gases for more information 1-888-532-2375

Prices good through 09/30/2020 or while supplies last!

CUTTING TORCHES Victor Contender (by ESAB) • Edge 2.0 regulators (lifetime warranty) • CA2460+ cutting attachment (10 year warranty) \$2295 WH315FC+ torch handle (10 year warranty) ESB 0384-2131 • Cuts up to 8" • Welds up to 3" Victor Performer (by ESAB) Edge 2.0 regulator (lifetime warranty) \$**289**⁹⁵ • CA1350 cutting attachment (10 year warranty) • WH100FC torch handle (10 year warranty) • Cuts up to 6" • Welds up to 1/4" ESB 0384-2126 Miller Electric Toughcut • CC509P cutting attachment 57DUE BU 55 • WH100 torch handle 3 year warranty **MIL MB55A-300** Cuts up to 6" • Welds up to 1/8" The POWER of PLASMA Quicker, Cleaner, Safer, More Productive, More Versatile, Easier to Use, Lower Operating Cost, More Reliable Powermax45 XP Powermax30 AIR Powermax65 Cut capacity 5/8" Cut capacity 3/4" Cut capacity 5/16" • Cut severance 1-1/8" • Cut severance 1-1/4" • Cut severance 5/8" • Output range 15-45 Output range 15-30 • Output range 20-65 Internal air compressor • Single or three phase • Three phase power Single phase power Powermax \$**2,070**00 \$**2,99**5 .830 HYP 083270 HYP 088112 HYP 088096 **Consumable Kit Consumable Kit** Consumable Kit Shields, Retaining Cap, Shields, Retaining Cap, Deflector, Retaining Nozzles, Swirl Ring, Nozzles, Swirl Ring & Cap, Nozzles, Swirl Electrodes & Deflector Electrodes **Ring & Electrodes** 6555 5**199**95 **Л Q**95 HYP 851462 HYP 851478 HYP 851465 FlushCut Standard FlushCut Compatible with PowerMax45XP & 65 Systems Reduces time consuming and costly grinding Minimizes the Heat Affected Zone (HAZ) • Faster cutting than carbon arc gouging Less likely to dig into the workpiece than carbon arc gouging Hypertherm 😪 **64**⁵⁵ Dertnerm Optimal angle on-optimal HYP 428746 SHAPING POSSIBILITY angle for cutting for cutting Locally Owned **Call Purity Cylinder Gases for more** Prices good through PURITY 09/30/2020 or and Operated information 1-888-532-2375 Since 1938

while supplies last!

FALL SAFE ^{BY} Honeywell 21 THER PPE

\$23795 HYW AC-GC/UGN

\$**75**95



"Research has found that a comfortable harness is more likelv to be worn properly, increasing compliance, safety and productivity."

Locally Owned and Operated Since 1938

Miller[®] AirCore[™] Signature Harness w/Steel Hardware

- Breathable, open-core padding technology provides optimal airflow and reduces heat and moisture build-up; up to 16% less surface area than other padding used on the market
- · Cam buckles provide easy one-hand adjustment
- Quick-connect chest strap buckles
- Lightweight: 16% lighter in weight than competitive harnesses with aluminum hardware and 20% lighter than harnesses with steel hardware
- Max. Working Load: 400 lbs. (181.4 kg) • Meets OSHA 1926.502, ANSI A10.32,
- ANSI Z359.11-14 and CSA Z259.10-12 standards.

Miller Manyard[®] HP 6' Shock-Absorbing Lanyard

One leg, locking snap has locking snap anchorage hook

- Specially-woven shock-absorbing inner core smoothly expands
- Unique warning flag provides visual proof that a lanyard has been involved in a fall and must be removed from service
- Heavy-duty tubular outer jacket serves as a back-up lanyard

Miller[®] Personal Fall Limiters

- Reduces fall clearance requirements Available in 6-ft and 9-ft lengths
- Extremely compact/lightweight
- Attaches to back D-ring of a harness
- · High-impact nylon housing and abrasion-resistant webbing
- Integral swivel prevents lifeline from twisting
- Rated for up to a 400 lb. (181.4 kg) worker
- Twin models available for 100% tie-off
- ANSI Z359.14, ANSI A10.32 and CSA compliant models available (All models meet OSHA reg.)

Miller[®] 6-foot TurboLite[™] PFL \$**159**95 HYW MEL-1-Z7/6FT

- Steel Carabiner; 3,600 lb. Gate
- 1-in. (25.4 mm) Gate Opening
- Miller[®] TwinTurbo[™] 6' PFL
- TwinTurbo G2 Connector meets OSHA, \$33295 HYW MFLC3Z76FT

Miller[®] Shadow[®] Adjustable Beam Anchor

- Connect horizontally to a wide range of I and H beam flanges from 3-14" (76-356 mm) wide and up to
- 1-1/4" (32 mm) thick.
 Beam anchvor slides along the beam with the seam anchvor slides along the beam with the seam of the provide increased safety, mobility
 HYW 8816-14/

Call Purity Cylinder Gases for more information 1-888-532-2375

Prices good through 09/30/2020 or while supplies last!







Milwaukee SAIT EZ-Chop 14" GOOD 14" Abrasive Cut-Off Machine \$**6**95 each • Aluminum oxide grain \$**225**⁹⁵ General purpose UAB 24039 cool cutting MWE 6177-20 • Burr-free finish \$62.55/box of 10 Industry-leading Save 10% performance, durability **BETTER TOP SELLER** Iron Worker 14" and ease of use Handles a wide variety of materials • Powerful 15-amp, \$**9**55 each • Aluminum oxide grain 4 horsepower motor Fast cutting • 3900 RPM UAB 24051 • Angle iron, channel iron, • Fast cutting of drywall heavy rebar, other \$85.95/box of 10 track in bundles, angle ferrous metals Save 10% iron, conduit, pipe, channels, tubing and rebar up to 5" **BES**I Saitech 45° miter cutting capability **Steel Worker Blade 14"** Milwaukee • 3M Cubitron grain **9**95 • Extremely fast, **G**each burr-free cutting UAB 24053 \$116.55/box of 10 Save 10% **Band Saw Deep Cut Variable Speed** PORTABLE BAND SAW BLADES THE ONLY 2 BLADES YOU NEED Morse 811 cuts materials 1/4" and THICKER | Morse 1216 cuts materials LESS than 1/4" CUT UP TO 2X FASTER | LAST UP TO 2X LONGER WIDTH x THICKNESS ^{\$}305⁹⁵ PRICE PACKAGING PART# LENGTH TPI 44-7/8" 1/2" X .020" 12/16 3/Pack MOR 002738 MWE 6232-21 \$12.95 Industry leading 11 Amp motor 44-7/8" 1/2" X .020" 8/11 MOR 002486 3/Pack • All metal direct drive (max tool life) 44-7/8" 1/2" X .020" 12/16 25/Box MOR 002745 \$99.95 CPT[™] Constant Power Technology 44-7/8" 1/2" X .020" 8/11 25/Box MOR 002462 Industry's largest cut capacity at 5"x5" 44-7/8" 1/2" X .020" 12/16 100 Bulk MOR 002752 • Improved handle design \$399.95 44-7/8" 1/2" X .020" 8/11 MOR 002455 100 Bulk • Uses standard 44-7/8" x 1/2" .020 blades BIT Heavy Wall Blades Includes carrying case Tilwaukee TRIN Wall Blades DRSE **Call Purity Cylinder Gases for more** Locally Owned Prices good through

and Operated Since 1938

PURITY

information 1-888-532-2375

09/30/2020 or while supplies last!

AUTHORIZED WARRANTY REPAIR ON ALL MAJOR BRANDSI.

LINCOLN

ELECTRIC

THE WELDING EXPERTS

FANUC

Robotics

THERMAL DYNAMICS

Repair Department...

What we have...

- Service and Parts Department
- Warranty Repair Service Center
- Factory-Trained & Certified Technicians *What we do...*
 - On-site Repair, Pick-up and Delivery
 - Preventive Maintenance
 - Cutting Machine Service
 - Equipment Calibration
 - Small Engine Repair

Reliable Equipment Rental Services...

- Major Brands Available
- Temporary or Long-term
- Flexible Duration (day, week, month)
- Purchase Opportunities (manufacture warranties on rentals carry over to you)
- Reliability All Purity Equipment is Tested and Certified by our Repair Professionals

Available Machines Include:

- Engine-Driven Welders
- Stick Welding Equipment
- MIG & TIG Welding Equipment
- Dry Ice Blasting & Cleaning Equipment
- Plasma Cutters
- Fume Extraction & Filtration Systems
- Stud Welders

Dry Ice Blasters for Heavy Duty Cleaning & Cleaning Equipment



KOHLER



REPAIR





Hypertherm[®]

(616) 532-2375 1-888-532-2375 www.puritygas.com Angola, IN (260) 665-7241 Battle Creek, MI (269) 660-1907 Cadillac, MI (231) 779-2468 Elkhart, IN (574) 389-8760

Miller Panasonic

ideas for life

(260) 497-7565 Gaylord, MI (989) 731-1111 Holland, MI (616) 848-7650 Kalamazoo, MI (269) 344-0518

Fort Wayne, IN

ronius

Lansing, MI (517) 321-9555 Mt. Pleasant, MI (989) 775-0898 Muskegon, MI (231) 773-2510

(231) 773-2510 **Saginaw, MI** (989) 755-4344 Family Owned & Locally Operated Since 1938



Traverse City, MI (231) 922-0851 **Warsaw, IN** (574) 267-6066 Prices good June 1 through September 30, 2020 or while supplies last! Not all items stocked at every location.