| CYLINDER GASES IN | JANUAI FEBRUA 2 | | IRO B |
|---|--|--|---|
| Plasma Table FluxImage: Strain of the | tio! Extra blade FREE with while supervised on the supervised on t | plies last) ST Steel \$46 | metal heat build up 995 |
| BLACK STALLION · 12 mil clear vi | Dr a Healthy Work hyl screen provides separation & dist in for quick and easy assembly • Stur • Not flame resistant Standard QuickFrame™ So REV 6x6V12F1-CLR 6' H x 6' W REV 6x8V12F1-CLR 6' H x 8' W REV 6x10V12F1CLR 6' H x 10' | ancing of workers dy platform legs . Axia increen, Clear V \$79.95 V \$94.95 W \$109.95 . 4xia increen, Clear . Drill in th . 135° cent star . ¼-3 | Titanium Nitride Dated Step Drill al and radial flute design eases work piece penetration s clean, accurate holes in materials split point self ters and easily ts w/no pilot hole /4" holes, 3-sides |
| JACKSON | FR Neck Gaiter Meets CDC guidance regarding coverings · Nomex® knit will not melt, drip, or ignite · Machine washable · One size · Limited inventory - available only while supplies last! \$1997 REV AH3560-WH | flatt | ened *shank 2955 CTD 45731 CCONSOLIDATED CONSOLIDATED |
| Hard Jackson SC-6 Hat • ANSI type 1 com Face Clear polycarbo Shield follows the cont | nate face shield | \$14.95 Each \$6.25 SWX 25973 | |
| | | \$15.95 SWX 20777 \$12.95 SWX 16797 | MBE |

Fume Management Solutions by:

Roto-Pulse Filter Cleaning System

Model

MC2500

CLEAN AIR SYSTEMS

Revolutionary roto-pulse filter cleaning
 technology • Externally supported arms

for easy adjustment • Modular design—1 or 2 modules, up to four arms • Up to 1200 CFM per arm • Quiet operation • TEFC

motor • Fire retardant cartridge filters • Vortex air flow pattern

Starting at \$12,875.00 (one arm) Many options available!

Call for a Quote!

Applications:

- Welding/Cutting smoke & fumes
- Grinding dust
 Sanding dust
- Odor control Particulate generated in filling / mixing process
- Other dry powders or dusts

Other Popular Micro Air® Solutions

Portable Units



Downdraft Tables

ables

Gas Cutting Systems



QUICK CHANGE DISCS SAVE 10% ON BOX PRICING! ABRASIVES

Aluminum Oxide: Dense, blocky grain well suited for general purpose grinding and stock removal. Durable use on ferrous, non-ferrous, stainless steels, alloys and non-metallics

| Box Qty | \$ / Box | \$ / Each | Type-R part # | Grit | Size |
|---------------------------------|----------|-----------|------------------|------|------|
| | \$43.20 | \$0.48 | 11214 | 36 | 2" |
| 100 / box | \$32.40 | \$0.36 | 11217 | 60 | 2" |
| | \$35.10 | \$0.39 | 11218 | 80 | 2" |
| | \$30.15 | \$0.67 | 11226 | 36 | 3" |
| 50 / box | \$35.55 | \$0.79 | 11229 | 60 | 3" |
| | \$38.25 | \$0.85 | 11230 | 80 | 3" |
| Other sizes and grits available | | | | | |

Ceramic: Self-sharpening grains continually produce fresh cutting points reducing friction and prolonging cut rates under lighter pressure. Additional grinding aid further reduces heat, extending disc life

| Box Qty | \$ / Box | \$ / Each | Type-R part # | Grit | Size | |
|----------------------------------|----------|-----------|------------------|------|------|--|
| 100 / box | \$80.10 | \$0.89 | 40329 | 36 | 2" | |
| | \$68.40 | \$0.76 | 40332 | 60 | 2" | |
| | \$66.60 | \$0.74 | 40333 | 80 | 2" | |
| | \$54.45 | \$1.21 | 40335 | 36 | 3" | |
| 50 / box | \$47.25 | \$1.05 | 40338 | 60 | 3" | |
| | \$45.45 | \$1.01 | 40339 | 80 | 3" | |
| Other sizes and grits available! | | | | | | |

BUY \$250.00 worth of ANY combination of Superior Quick Change Discs and GET THIS ANGLE DIE GRINDER



Economy Grade

PURITY

REE

Straight Die

Grinder

• 25,000 RPM

4 CFM average

air consumption

• 0.83 lbs. (tool

only net weight)



Grinder

- 20,000 RPM 4 CFM average
- air consumption • 1.15 lbs. (tool only net weight)
- Noise level 88 decibels




Locally Owned and Operated Since 1938

| additional grinding aid to reduce heat generation. Cooler cut reduces friction and premature breakdown of grains and backing. | | | | | |
|---|------|------------------|-----------|-------------------|------------|
| Size | Grit | Type-R part # | \$ / Each | \$ / Box Price | Box Qty |
| 2" | 36 | 36683 | \$0.83 | \$74.70 | |
| 2" | 60 | 36686 | \$0.75 | \$67.50 | 100 / box |
| . 2" | 80 | 36687 | \$0.72 | \$64.80 | |
| 3" | 36 | 36695 | \$1.06 | \$47.70 | |
| 3" | 60 | 36698 | \$0.96 | \$43.20 | 50 / box |
| 3" | 80 | 36699 | \$0.93 | \$41.85 | |

Other sizes and grits available!





- Angle Die • 1/4 Air Inlet (NPT)
- 1/4" Collet size
- Noise level 94 decibels




Grinder

- 0.5 HP

Call Purity Cylinder Gases for more

information 1-888-532-2375

\$92.00 FLP UT8715-20





• 1/4 Air Inlet (NPT) • 0.5 HP • 1/4" Collet size • 25,000 RPM

\$65.00 FLP UT8710-25

Prices good through 2/28/2021 or while supplies last!



Prices good January 1 through February 28, 2021 or while supplies last! Not all items stocked at every location.