

# Safety Data Sheet 20% CARBON DIOXIDE IN OXYGEN

### **Section 1: Product and Company Identification**

Purity Cylinder Gases,Inc.

2580 28th St SW Wyoming, MI 49519 P: (616)532-2375 www.puritygas.com

Product Code: 20% CARBON DIOXIDE IN OXYGEN

Part Number: OX C20 Synonyms:

**Recommended Use: Usage Restrictions:** 

### **Section 2: Hazards Identification**



#### **Hazard Classification:**

Gases Under Pressure Oxidizing Gas (Category 1)

#### **Hazard Statements:**

Contains gas under pressure; may explode if heated May cause or intensify fire; oxidizer

#### **Precautionary Statements**

#### Prevention:

Keep reduction valves/valves and fittings free from oil and grease. Keep and store away from clothing and combustible materials.

#### Response:

In case of fire: Stop leak if safe to do so.

Protect from sunlight. Store in well-ventilated place.

Purity Cylinder Gases,Inc. page 1 of 6 Date of Preparation: 03/03/2025 09:43:09

### **Section 3: Composition/Information on Ingredients**

	CAS#	Concentration
Carbon Dioxide	124-38-9	20
Oxygen	7782-44-7	80

	Chemical Substance	Chemical Family	Trade Names
Carbon Dioxide	CARBON DIOXIDE, GAS	Inorganic gases	CARBONIC ACID GAS; CARBONIC ANHYDRIDE; CARBON DIOXIDE; CARBON OXIDE; UN 1013; CO2
Oxygen	OXYGEN, COMPRESSED GAS	Inorganic gases	OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; O2

### **Section 4: First Aid Measures**

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Carbon Dioxide	If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.	Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	Do not induce vomiting.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Oxygen	None expected	None expected	Not likely route of exposure	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.	None

# **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon Dioxide	Non-flammable	Non-flammable	<ul> <li>Any appropriate escape-type, self- contained breathing apparatus.</li> <li>Non-flammable</li> </ul>
Oxygen	Non-flammable. Use extinguishing agent appropriate for the material which is burning. Use water in large quantities for fires involving oxygen.	Oxides of burning material	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> <li>None</li> </ul>

# **Section 6: Accidental Release Measures**

	Personal Precautions	Environmental Precautions	Methods for Containment
Carbon Dioxide	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Do not touch spilled material.	Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65). Keep out of water supplies and sewers.	Stop leak if possible without personal risk.
Oxygen	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.	Avoid contact with combustible materials.	Stop leak if possible without personal risk.

	Methods for Cleanup	Other Information
Carbon Dioxide	Stop leak, evacuate, remove source of ignition.	None

	Methods for Cleanup	Other Information
Oxygen	Stop leak and ventilate	None

### **Section 7: Handling and Storage**

	Handling	Storage
Carbon	Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated	Store and handle in accordance with all
Dioxide	from incompatible substances.	current regulations and standards
Oxygen	Store and handle in accordance with all current regulations and standards.	Keep separated from incompatible
,	Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	substances.

# **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Carbon	CARBON DIOXIDE, GAS: CARBON DIOXIDE: 5000 ppm (9000 mg/m3) OSHA TWA 10000 ppm (18000 mg/m3) OSHA TWA
Dioxide	(vacated by 58 FR 35338, June 30, 1993) 30000 ppm (54000 mg/m3) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 5000 ppm ACGIH TWA 30000 ppm ACGIH STEL 5000 ppm (9000 mg/m3) NIOSH recommended TWA 10 hour(s) 30000 ppm (54000 mg/m3) NIOSH recommended STEL
Oxygen	OXYGEN, COMPRESSED GAS: No occupational exposure limits established.

### **Engineering Controls**

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Carbon Dioxide	For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.	Any appropriate escape- type, self-contained breathing apparatus.
Oxygen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.

### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

### **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Carbon Dioxide	Gas	Colorless	Colorless	N/A	Gas	Odorless	Acid taste
Oxygen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Carbon Dioxide	Not flammable	Not available	N/A	Nonflammable	Nonflammable	Nonflammable
Oxygen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	pH	Odor Threshold	Evaporation Rate	Viscosity
Carbon Dioxide	Not available	-71 F (-57 C) @ 4000 mmHg	43700 mmHg @ 21 C	1.5 (Air=1)	1.522 @ 21 C	Soluble	3.7 (saturated aqueous solution) @ 101.3 kPa (carbonic acid)	Not available	Not applicable	0.01657 cP @ 0 C

Purity Cylinder Gases,Inc.

page 3 of 6

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
Oxygen	-297 F (- 183 C)	-360 F (- 218 C)	760 mmHg @ -183 C	1.1 (Air=1)	Not applicable	3.2% @ 25 C	Not applicable	Not available	Not applicable	0.02075 cP @ 25 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Carbon Dioxide	44.01	C-O2	0.114	Not available	Not applicable	Not applicable	Soluble: Alcohol, acetone, hydrocarbons, organic solvents
Oxygen	31.9988	O2	1.309 g/L @ 25 C	Not available	Not applicable	Not applicable	Soluble: Alcohol

# Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Carbon Dioxide	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Combustible materials, oxidizing materials, metal salts, reducing agents, metal carbide, metals, bases
Oxygen	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials, alkaline earth and alkali metals

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
Carbon Dioxide	Carbon monoxide	Will not polymerize.
Oxygen	Miscellaneous decomposition products	Will not polymerize.

# Section 11: Toxicology Information

### **Acute Effects**

	Oral LD50	Dermal LD50	Inhalation
Carbon Dioxide	Not established	Not established	Ringing in the ears, nausea, irregular heartbeat, headache, drowsiness, dizziness, tingling sensation, visual disturbances, suffocation, convulsions, coma
Oxygen	Not established	Not established	Irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, dizziness, disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions

	Eye Irritation	Skin Irritation	Sensitization
Carbon	Irritation, frostbite, blurred vision	Liquid: blisters, frostbite	Difficulty breathing
Dioxide			-
Oxygen	No information on significant adverse	No information on significant adverse	No significant target effects
	effects	effects	reported.

#### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	<b>Developmental Effects</b>
Carbon Dioxide	Not available	Not established	Available.	No data
Oxygen	Not known.	Available.	Available.	No data

# **Section 12: Ecological Information**

**Fate and Transport** 

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Carbon Dioxide	Fish toxicity: 150000 ug/L 48 day(s) (Mortality) Brown trout (Salmo trutta) Invertibrate toxicity: Not available Algal toxicity: Not available	Relatively non-persistent in the environment. Moderately volatile from water.	Accumulates very little in the bodies of living organisms.	Leaches through the soil

Purity Cylinder Gases,Inc. page 4 of 6 Date of Preparation: 03/03/2025 09:43:09

	Phyto toxicity: Not available Other toxicity: Not available			
Oxygen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Low bioaccumulation	Not available

# **Section 13: Disposal Considerations**

Carbon	Dispose in accordance with all applicable regulations.
Dioxide	
Oxygen	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste
	Number(s): D001.

### **Section 14: Transportation Information**

### U.S. DOT 49 CFR 172.101

#### **DOT Information For This Mixture**

Shipping Name	Compressed gas, oxidizing, n.o.s. (Oxygen, Carbon Dioxide)
UN Number	UN3156
Hazard Class	2.2
Hazard Information	Non-Flammable Gas Oxidizer Sub

#### **Individual Component Information**

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Carbon Dioxide	Carbon dioxide	UN1013	2.2	Not applicable	2.2	75 kg or L	150kg	None
Oxygen	Oxygen, compressed	UN1072	2.2	Not available	2.2; 5.1	75 kg or L	150 kg	N/A

### **Canadian Transportation of Dangerous Goods**

	Shipping Name		UN Number	Class	Packing Group / Risk Group
Carbon Dioxide	Dioxide Carbon dioxide		UN1013	2.2	Not applicable
Oxygen	Oxy	gen, compressed	UN1072	2.2; 5.1	Not applicable

### **Section 15: Regulatory Information**

### **U.S. Regulations**

	CERCLA Sections	SARA 355.30	SARA 355.40
Carbon Dioxide	Not regulated.	Not regulated.	Not regulated.
Oxygen	Not regulated.	Not regulated.	Not regulated.

#### **SARA 370.21**

	Acute	Chronic	Fire	Reactive	Sudden Release	
Carbon Dioxide	Yes	No	No	No	Yes	
Oxygen	No	No	Yes	No	Yes	

#### **SARA 372.65**

Carbon Dioxide	Not regulated.	
Oxygen	Not regulated.	

Purity Cylinder Gases,Inc.
Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Date of Preparation: 03/03/2025 09:43:09

### **OSHA Process Safety**

Carbon Dioxide	Not regulated.
Oxygen	Not regulated.

#### **State Regulations**

	CA Proposition 65
Carbon Dioxide	Not regulated.
Oxygen	Not regulated.

### **Canadian Regulations**

	WHMIS Classification
Carbon Dioxide	Α
Oxygen	A,C

#### **National Inventory Status**

	<b>US Inventory</b>	(TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Carbon Dioxide	Listed on inver	ntory.	Not listed.	Listed on inventory.
Oxygen	Listed on inver	ntory.	Not listed.	Not determined.

# **Section 16: Other Information**

	NFPA Rating
Carbon Dioxide	HEALTH=3 FIRE=0 REACTIVITY=0 SPECIAL=SA
Oxygen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=OX

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard