

Safety Data Sheet

200 ppm Nitric Oxide / Balance Nitrogen EPA

Section 1: Product and Company Identification

Purity Cylinder Gases,Inc.

2580 28th St SW Wyoming, MI 49519 P: (616)532-2375 www.puritygas.com

Product Code: 200 ppm Nitric Oxide / Balance Nitrogen EPA

Part Number: SP E200PNO/N

Synonyms: Recommended Use: Usage Restrictions:

Section 2: Hazards Identification



Hazard Classification:

Gases Under Pressure

Hazard Statements:

Contains gas under pressure; may explode if heated

Precautionary Statements

Storage:

Protect from sunlight.
Store in well-ventilated place.

Section 3: Composition/Information on Ingredients

	CAS#	Concentration
Nitric Oxide	10102-43-9	225 PPM
Nitrogen	7727-37-9	Balance

Purity Cylinder Gases,Inc. Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved page 1 of 6

Date of Preparation: 03/03/2025 09:43:53

	Chemical Substance	Chemical Family	Trade Names
Nitric Oxide	NITRIC OXIDE	Inorganic gases	NITROGEN OXIDE (NO); NITRIC OXIDE (NO); NITRIC OXIDE TRIMER; NITROGEN MONOXIDE; NITROGEN MONOOXIDE; NITROGEN OXIDE (N4O4); NITROSYL RADICAL; RCRA P076; STCC 4920330; UN 1660; NO
Nitrogen	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2

Section 4: First Aid Measures

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Nitric Oxide	Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.	Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.	None
Nitrogen	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

Section 5: Fire Fighting Measures

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Nitric Oxide	Water Do not use dry chemicals, carbon dioxide or halogenated extinguishing agents. Large fires: Flood with fine water spray.	Nitrogen oxides	 Any self-contained breathing apparatus with a full facepiece. Any self-contained breathing apparatus with a full facepiece.
Nitrogen	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	 Respiratory protection may be needed for frequent or heavy exposure.

Section 6: Accidental Release Measures

	Personal Precautions	Environmental Precautions	Methods for Containment	
Nitric Oxide	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering. Avoid contact with combustible materials.	Avoid contamination of water, soil, drains, and sewers.	Stop leak if possible without personal risk.	
Nitrogen	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	No significant effects from contamination expected.	Stop leak if possible without personal risk.	

	Methods for Cleanup	Other Information
Nitric Oxide	Contact emergency personnel.	Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Ceter at (800)424-8802 (USA) or (202)426-2675 (USA).
Nitrogen	N/A	N/A

Purity Cylinder Gases,Inc. page 2 of 6 Date of Preparation: 03/03/2025 09:43:53

Section 7: Handling and Storage

	Handling	Storage
Nitric Oxide	Store and handle in accordance with all current regulations and standards. NFPA 430 Code for the Storage of Liquid and Solid Oxidizing Materials. Notify State Emergency Response Commission for storage or use at amounts greater than or equal to the TPQ (U.S. EPA SARA Section 302). SARA Section 303 requires facilities storing a material with a TPQ to participate in local emergency response planning (U.S. EPA 40 CFR 355.30).	Keep separated from incompatible substances.
Nitrogen	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	Keep separated from incompatible substances.

Section 8: Exposure Controls/Personal Protection

	Exposure Guidelines
Nitric Oxide	NITRIC OXIDE: 25 ppm (30 mg/m3) OSHA TWA 25 ppm ACGIH TWA 25 ppm (30 mg/m3) NIOSH recommended TWA 10 hour(s)
Nitrogen	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)

Engineering Controls

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Nitric Oxide	Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	Wear appropriate chemical resistant clothing.	Any self-contained breathing apparatus with a full facepiece.
Nitrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

l		Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
ĺ	Nitric Oxide	Gas	Clear	Colorless	N/A	Gas	Not available	N/A
	Nitrogen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Nitric Oxide	Not applicable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable
Nitrogen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
Nitric Oxide	-242 F (-152 C)	-263 F (- 164 C)	26000 mmHg @ 20 C	1.036 (Air=1)	Not applicable	7.3% @ 0 C	Not applicable	0.3-1.0 ppm	Not applicable	0.0188 cP @ 25 C
Nitrogen	-321 F (-196 C)	-346 F (- 210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applicable	Not available	Not applicable	0.01787 cP @ 27 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Nitric Oxide	30.01	N-O	1.3402 g/L	Not available	Not available	Not applicable	Soluble: Sulfuric acid, alcohol, ferrous sulfate solutions, carbon disulfide

Purity Cylinder Gases,Inc. page 3 of 6 Date of Preparation: 03/03/2025 09:43:53

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Nitrogen	28.0134	N2	1.2506 g/l	Not available	100%	1	Soluble: Liquid ammonia

Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Nitric Oxide	May react on contact with air. May react on contact with water. Releases toxic, corrosive, flammable or explosive gases. May explode during distillation or evaporation.	May react on contact with air. May react on contact with water. Releases toxic, corrosive, flammable or explosive gases. May explode during distillation or evaporation.	Metals, bases, metal oxides, reducing agents, combustible materials, halo carbons, oxidizing materials, halogens, metal carbide, metal salts
Nitrogen	Stable at normal temperatures and	Stable at normal temperatures and	Metals, oxidizing materials
	pressure.	pressure.	

	Hazardous Decomposition Products	Possibility of Hazardous Reactions		
Nitric Oxide	Oxides of nitrogen	Will not polymerize.		
Nitrogen	Oxides of nitrogen	Will not polymerize.		

Section 11: Toxicology Information

Acute Effects

	Oral LD50	Dermal LD50	Inhalation
Nitric	LC50 Inhalation Gas. Rat 1068	Not	Irritation, nausea, vomiting, stomach pain, chest pain, difficulty breathing,
Oxide	mg/m3 4 hours	available	headache, dizziness, bluish skin color, lung congestion
Nitrogen	Not available	Not	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling
		available	sensation, loss of coordination, convulsions, coma

	Eye Irritation	Skin Irritation	Sensitization
Nitric Oxide	Irritation (possibly severe)	Irritation (possibly severe)	Acute toxicity, Category 1, inhalation; H330: Fatal if inhaled. Skin corrosion, Category 1B; H314: Causes severe skin burns and eye damage.
Nitrogen	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing

Chronic Effects

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects	
Nitric Oxide	Not available	Available.	Not available	No data	
Nitrogen	Not hazardous	Not available	Not available	No data	

Section 12: Ecological Information

Fate and Transport

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Nitric Oxide	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Readily biodegrades	Not available	Not expected to leach through the soil or the sediment.
Nitrogen	Fish toxicity: Not available Invertibrate toxicity: Not available	Not available	Not available	Not available

Purity Cylinder Gases,Inc.

page 4 of 6

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

Algal toxicity: Not		
available		
Phyto toxicity: Not		
available		
Other toxicity: Not		
available		

Section 13: Disposal Considerations

Nitric	Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001. D003. Dispose in accordance with all
Oxide	applicable regulations.
Nitrogen	Dispose in accordance with all applicable regulations.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

DOT Information For This Mixture

DOT INIOTHICITION THIS INIXCUIC					
Shipping Name	Compressed gas, n.o.s. (Nitrogen, Nitric Oxide)				
UN Number	UN1956				
Hazard Class	2.2				
Hazard Information	Non-Flammable Gas				

Individual Component Information

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Nitric	Nitric oxide,	UN1660	2.3	Not	2.3; 5.1;8	Forbidden	Forbidden	Toxic-Inhalation
Oxide	compressed			applicable				Hazard Zone A
Nitrogen	Nitrogen,	UN1066	2.2	Not	2.2	75 kg or L	150 kg	N/A
1	compressed			applicable				

Canadian Transportation of Dangerous Goods

Carraction France Contaction of Painger Care Cooks				
	Shipping Name	UN Number	Class	Packing Group / Risk Group
Nitric Oxide	Nitric oxide, compressed	UN1660	2.3; 5.1; 8	Not applicable
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable

Section 15: Regulatory Information

U.S. Regulations

	CERCLA Sections	SARA 355.30	SARA 355.40
Nitric Oxide	10 LBS RQ	100 LBS TPQ	10 LBS RQ
Nitrogen	Not regulated.	Not regulated.	Not regulated.

SARA 370.21

	Acute	Chronic	Fire	Reactive	Sudden Release
Nitric Oxide	Yes	No	No	No	Yes
Nitrogen	Yes	No	No	No	Yes

SARA 372.65

Nitric Oxide	Not regulated.
Nitrogen	Not regulated.

Purity Cylinder Gases,Inc. page 5 of 6

OSHA Process Safety

Nitric Oxide	250 LBS TQ
Nitrogen	Not regulated.

State Regulations

	CA Proposition 65
Nitric Oxide	Not regulated.
Nitrogen	Not regulated.

Canadian Regulations

	WHMIS Classification
Nitric Oxide	ACD1
Nitrogen	Α

National Inventory Status

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Nitric Oxide	Listed on inventory.	Not listed.	Not determined.
Nitrogen	Listed on inventory.	Not listed.	Listed on inventory.

Section 16: Other Information

	NFPA Rating
Nitric Oxide	HEALTH=4 FIRE=0 REACTIVITY=1 SPECIAL=OX
Nitrogen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

page 6 of 6

Date of Preparation: 03/03/2025 09:43:53