

# **Safety Data Sheet** 40% NITROGEN IN METHANE

## **Section 1: Product and Company Identification**

Purity Cylinder Gases,Inc.

2580 28th St SW Wyoming, MI 49519 P: (616)532-2375 www.puritygas.com

Product Code: 40% NITROGEN IN METHANE

Part Number: SP 60M/40N **Synonyms:** 

Recommended Use: Usage Restrictions:

## **Section 2: Hazards Identification**



#### **Hazard Classification:**

Flammable (Category 1) Gases Under Pressure

#### **Hazard Statements:**

Contains gas under pressure; may explode if heated Extremely flammable gas

#### **Precautionary Statements**

#### Prevention:

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

#### Response:

Eliminate all ignition sources if safe to do so.

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

#### Storage:

Protect from sunlight.

Store in well-ventilated place.

Purity Cylinder Gases,Inc. Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved page 1 of 6

Date of Preparation: 03/03/2025 10:13:29

## **Section 3: Composition/Information on Ingredients**

	CAS#	Concentration		
Nitrogen	7727-37-9	40		
Methane	74-82-8	60		

	Chemical Substance	Chemical Family	Trade Names
Nitrogen	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS: UN 1066: N2
Methane	METHANE, COMPRESSED	Hydrocarbons, Aliphatic,	FIRE DAMP; MARSH GAS; METHYL HYDRIDE; NATURAL GAS;
	GAS	Saturated	METHANE; UN 1971; R50; CH4

## **Section 4: First Aid Measures**

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Nitrogen	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Methane	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

## **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Nitrogen	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> </ul>
Methane	Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray.	Carbon monoxide, carbon dioxide, water	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure. Any self-contained breathing apparatus with a full facepiece.</li> <li>Respiratory protection may be needed for frequent or heavy exposure. Any self-contained breathing apparatus with a full facepiece.</li> </ul>

# Section 6: Accidental Release Measures

	Personal Precautions	<b>Environmental Precautions</b>	Methods for Containment
Nitrogen	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of		
	low areas.	останивани охросков.	
Methane	Keep unnecessary people away, isolate hazard area and deny entry. Ventilate closed spaces before entering.	Avoid heat, flames, sparks and other sources of ignition.	Stop leak if possible without personal risk. Reduce vapors with water spray. Remove sources of ignition.

	Methods for Cleanup	Other Information
Nitrogen	N/A	N/A
Methane	Not available	Not available

Purity Cylinder Gases,Inc. page 2 of 6 Date of Preparation: 03/03/2025 10:13:29

## **Section 7: Handling and Storage**

	Handling	Storage
Nitrogen	Store and handle in accordance with all current regulations and standards. Subject to storage	Keep separated from
	regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.
Methane	Store and handle in accordance with all current regulations and standards. Grounding and bonding	Keep separated from
	required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.

## **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Nitrogen	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)
Methane	METHANE, COMPRESSED GAS: ALIPHATIC HYDROCARBON GASES ALKANE (C1-C4): 1000 ppm ACGIH TWA METHANE: No
	occupational exposure limits established. ALIPHATIC HYDROCARBON GASES ALKANE (C1-C4): 1000 ppm ACGIH TWA

### **Engineering Controls**

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Nitrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.
Methane	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.  Any self-contained breathing apparatus with a full facepiece.

### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

## **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Nitrogen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless
Methane	Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Nitrogen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable
Methane	-369 F (-223 C)	Not available	724.44 (log = 2.87) (estimated from water solubility)	999 F (537 C)	15%	5%

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
Nitrogen	-321 F (-196 C)	-346 F (- 210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applicable	Not available	Not applicable	0.01787 cP @ 27 C
Methane	-260 F (-162 C)	-297 F (- 183 C)	760 mmHg @ -161 C	0.555 (Air=1)	Not applicable	3.5% @ 17 C	Not applicable	Not available	Not applicable	0.01118 cP @ 27 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Nitrogen	28.0134	N2	1.2506 g/L	Not available	100%	1	Soluble: Liquid ammonia
Methane	16.04	C-H4	0.717 g/L @	Not available	Not applicable	Not	Soluble: Alcohol, ether,
			0 C			applicable	benzene, organic solvents

Purity Cylinder Gases,Inc. page 3 of 6

# Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Nitrogen	Stable at normal temperatures and	Stable at normal temperatures and	Metals, oxidizing materials
	pressure.	pressure.	
Methane	Stable at normal temperatures and	Stable at normal temperatures and	Halogens, oxidizing materials, combustible
	pressure.	pressure.	materials

	<b>Hazardous Decomposition Products</b>	Possibility of Hazardous Reactions	
Nitrogen	Oxides of nitrogen	Will not polymerize.	
Methane	Oxides of carbon	Will not polymerize.	

## **Section 11: Toxicology Information**

### **Acute Effects**

	Oral LD50	Dermal LD50	Inhalation
Nitrogen	Not available	Not available	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma
Methane	Not available	Not available	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, drowsiness, fatigue, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma

	Eye Irritation	Skin Irritation	Sensitization
Nitrogen	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing
Methane	No information on significant adverse effects	No information on significant adverse effects	Difficulty breathing

#### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Nitrogen	Not hazardous	Not available	Not available	No data
Methane	Not available	Not available	Not available	No data

## **Section 12: Ecological Information**

### **Fate and Transport**

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Nitrogen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available
Methane	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Relatively non-persistent in the environment. Moderately volatile from water.	Accumulates very little in the bodies of living organisms.	Not expected to leach through the soil or the sediment.

Purity Cylinder Gases,Inc. page 4 of 6 Date of Preparation: 03/03/2025 10:13:29

## **Section 13: Disposal Considerations**

Nitrogen	Dispose in accordance with all applicable regulations.
Methane	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste
	Number(s): D001.

## **Section 14: Transportation Information**

#### U.S. DOT 49 CFR 172.101

#### **DOT Information For This Mixture**

201 111011114110111 01 11110	DOT INICITIALION OF THIS MIXAGE				
Shipping Name Compressed gas, flammable, n.o.s. (Methane, Nitrogen)					
UN Number	UN1954				
Hazard Class	2.1				
Hazard Information	FLAMMABLE GAS				

### **Individual Component Information**

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A
Methane	Methane, compressed	UN1971	2.1	Not applicable	2.1	Forbidden	150 kg	N/A

### **Canadian Transportation of Dangerous Goods**

Shipping Name		UN Number	Class	Packing Group / Risk Group
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable
Methane	Methane, compressed	UN1971	2.1	Not applicable

## **Section 15: Regulatory Information**

### **U.S. Regulations**

CERCLA Sections		SARA 355.30	SARA 355.40				
Nitrogen	Not regulated.	Not regulated.	Not regulated.				
Methane	Not regulated.	Not regulated.	Not regulated.				

#### **SARA 370.21**

	Acute	Chronic	Fire	Reactive	Sudden Release
Nitrogen	Yes	No	No	No	Yes
Methane	Yes	No	Yes	No	Yes

#### **SARA 372.65**

Nitrogen	Not regulated.
Methane	Not regulated.

#### **OSHA Process Safety**

Nitrogen	Not regulated.
Methane	Not regulated.

#### **State Regulations**

CA Proposition 65	
Nitrogen	Not regulated.
Methane	Not regulated.

Date of Preparation: 03/03/2025 10:13:29

**Canadian Regulations** 

3	
	WHMIS Classification
Nitrogen	Α
Methane	A, B1

**National Inventory Status** 

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Nitrogen	Listed on inventory.	Not listed.	Listed on inventory.
Methane	Listed on inventory.	Not listed.	Listed on inventory.

# **Section 16: Other Information**

	NFPA Rating
Nitrogen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA
Methane	HEALTH=0 FIRE=4 REACTIVITY=0

<sup>0 =</sup> minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Purity Cylinder Gases,Inc. Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved page 6 of 6 Date of Preparation: 03/03/2025 10:13:29