

# Safety Data Sheet

50% NITROGEN / 32.5% ARGON /17.5% **HYDROGEN** 

### **Section 1: Product and Company Identification**

Purity Cylinder Gases,Inc.

2580 28th St SW Wyoming, MI 49519 P: (616)532-2375 www.puritygas.com

Product Code: 50% NITROGEN / 32.5% ARGON /17.5% HYDROGEN

Part Number: NI TM4 Synonyms: Recommended Use: **Usage Restrictions:** 

### **Section 2: Hazards Identification**



### **Hazard Classification:**

Flammable (Category 1) Gases Under Pressure

### **Hazard Statements:**

Contains gas under pressure; may explode if heated Extremely flammable gas

### **Precautionary Statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

### Response:

Eliminate all ignition sources if safe to do so. Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

### Storage:

Protect from sunlight. Store in well-ventilated place.

Purity Cylinder Gases, Inc. page 1 of 6 Date of Preparation: 03/03/2025 10:25:43

## **Section 3: Composition/Information on Ingredients**

	CAS#	Concentration
Nitrogen	7727-37-9	50
Argon	7440-37-1	32.5
Hydrogen	1333-74-0	17.5

	Chemical Substance	Chemical Family	Trade Names
Nitrogen	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2
Argon	ARGON, COMPRESSED	Inorganic gases	ARGON; UN 1006; AR
Hydrogen	HYDROGEN	Inorganic gases	HYDROGEN GAS; HYDROGEN COMPRESSED; HYDROGEN (H2); DIHYDROGEN; UN 1049; H2

## **Section 4: First Aid Measures**

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Nitrogen	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Argon	Not applicable route of exposure	Flush eyes with plenty of water.	Not applicable route of exposure	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Hydrogen	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

## **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Nitrogen	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	<ul> <li>Respiratory protection may be needed for frequent or heavy exposure.</li> </ul>
Argon	Non-flammable gas	Not applicable	■ N/A ■ N/A
Hydrogen	Carbon dioxide, regular dry chemical Large fires: Flood with fine water spray.	None known	<ul> <li>Any self-contained breathing apparatus with a full facepiece.</li> <li>Any self-contained breathing apparatus with a full facepiece.</li> </ul>

## **Section 6: Accidental Release Measures**

	Personal Precautions	Environmental Precautions	Methods for Containment
Nitrogen	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	No significant effects from contamination expected.	Stop leak if possible without personal risk.
Argon	Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas.	None known.	Stop leak if possible without personal risk.

Purity Cylinder Gases,Inc. page 2 of 6 Date of Preparation: 03/03/2025 10:25:43

	Personal Precautions	Environmental Precautions	Methods for Containment
Hydrogen	Keep unnecessary people away, isolate hazard area and deny entry. Do not touch spilled material. Ventilate closed spaces before entering.	Avoid heat, flames, sparks and other sources of ignition.	Reduce vapors with water spray. Remove sources of ignition.

	Methods for Cleanup	Other Information
Nitrogen	N/A	N/A
Argon	Leaks may be detected by a soapy-water solution.	
Hydrogen	Stop leak if possible without personal risk.	None

## **Section 7: Handling and Storage**

	Handling	Storage
Nitrogen	Store and handle in accordance with all current regulations and standards. Subject to storage	Keep separated from
	regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.
Argon	Store and handle in accordance with all current regulations and standards. Subject to storage	Avoid using in confined
	regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.	spaces.
Hydrogen	Store and handle in accordance with all current regulations and standards. Grounding and bonding	Keep separated from
-	required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	incompatible substances.

## **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Nitrogen	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)
Argon	ARGON, COMPRESSED: ARGON: ACGIH (simple asphyxiant)
Hydrogen	HYDROGEN: ACGIH (simple asphyxiant)

### **Engineering Controls**

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Nitrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.
Argon	Eye protection not required, but recommended.	Protective clothing is not required.	N/A
Hydrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Any self-contained breathing apparatus with a full facepiece.

### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

## **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Nitrogen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless
Argon	Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless
Hydrogen	Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Nitrogen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable
Argon	Not flammable			Nonflammable	Nonflammable	Nonflammable
Hydrogen	Flammable gas (burns at all ambient temperatures)	Not available	Not available	752 F (400 C)	0.75	0.04

	Boiling	Freezing	Vapor	Vapor	Specific	Water	pН	Odor	Evaporation	Viscosity	l
	Point	Point	Pressure	Density	Gravity	Solubility		Threshold	Rate		l

Purity Cylinder Gases,Inc.
Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

page 3 of 6

Date of Preparation: 03/03/2025 10:25:43

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рH	Odor Threshold	Evaporation Rate	Viscosity
Nitrogen	-321 F (-196 C)	-346 F (- 210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applicable	Not available	Not applicable	0.01787 cP @ 27 C
Argon	-303 F (-186 C)	-308 F (- 189 C)	500 mmHg @ -190 C	1.38 (Air=1)	Not applicable	3.36% @ 20 C	Not applicable	Not available	Not applicable	0.0225 cP @ 25 C
Hydrogen	-423 F (-253 C)	-434 F (- 259 C)	760 mmHg @ -253 C	0.07 (Air=1)	Not applicable	1.82% @ 20 C	Not applicable	Not available	Not applicable	0.008957 cP @ 26.8 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Nitrogen	28.0134	N2	1.2506 g/L	Not available	100%	1	Soluble: Liquid ammonia
Argon	39.948	AR	1.784 g/L @ 0 C	Not available	100%	Not applicable	Soluble: Organic solvents
Hydrogen	2	H2	0.08987 g/L @ 0 C	Not available	Not available	Not applicable	Soluble: Not available

## **Section 10: Stability and Reactivity**

	Stability	Conditions to Avoid	Incompatible Materials
Nitrogen	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Metals, oxidizing materials
Argon	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	No data available.
Hydrogen	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Metals, oxidizing materials, metal oxides, combustible materials, halogens, metal salts, halo carbons, nitrogen triflouride, oxygen diflouride, magnesium and calcium carbonate, sodium, potassium

	<b>Hazardous Decomposition Products</b>	Possibility of Hazardous Reactions
Nitrogen	Oxides of nitrogen	Will not polymerize.
Argon	No data available.	Will not polymerize.
Hydrogen	Miscellaneous decomposition products	Will not polymerize.

## Section 11: Toxicology Information

### **Acute Effects**

	Oral LD50	Dermal LD50	Inhalation
Nitrogen	Not available	Not available	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma
Argon	Not established	Not established	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma
Hydrogen	Not available	Not available	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, mood swings, tingling sensation, loss of coordination, convulsions, unconsciousness, coma

	Eye Irritation	Skin Irritation	Sensitization
Nitrogen	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing
Argon	No information on significant adverse effects	No information on significant adverse effects	
Hydrogen	Not irritating	Not irritating	Difficulty breathing

### **Chronic Effects**

0 0 0				
	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Nitrogen	Not hazardous	Not available	Not available	No data
Argon	Not established	Not established	Not established	No data

page 4 of 6

Date of Preparation: 03/03/2025 10:25:43

	Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects
Hydrogen	Not available	Not available	Not available	No data

## **Section 12: Ecological Information**

**Fate and Transport** 

•	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Nitrogen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available
Argon	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available
Hydrogen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

## **Section 13: Disposal Considerations**

Nitrogen	Dispose in accordance with all applicable regulations.			
Argon Dispose in accordance with all applicable regulations.				
Hydrogen	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste			
	Number(s): D001.			

## **Section 14: Transportation Information**

### U.S. DOT 49 CFR 172.101

### **DOT Information For This Mixture**

DOT INTO THIS CONTROL OF THE MIXEURO			
Shipping Name	Compressed gas, flammable, n.o.s. (Nitrogen, Argon)		
UN Number	UN1954		
Hazard Class	2.1		
Hazard Information	FLAMMABLE GAS		

**Individual Component Information** 

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A
Argon	Argon, compressed	UN1006	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A
Hydrogen	Hydrogen, compressed	UN1049	2.1	Not applicable	2.1	Forbidden	150 kg	None

**Canadian Transportation of Dangerous Goods** 

	Shipping Name	UN Number	Class	Packing Group / Risk Group
Nitrogen	Nitrogen, compressed	UN1066	2.2	Not applicable
Argon	Argon, compressed	UN1006	2.2	Not applicable
Hydrogen	Hydrogen, compressed	UN1049	2.1	Not applicable

Purity Cylinder Gases,Inc.

page 5 of 6
Date of Preparation: 03/03/2025 10:25:43

Generated by the SDS Manager from AsteRisk, LLC. All Rights Reserved

## **Section 15: Regulatory Information**

### **U.S. Regulations**

	CERCLA Sections	SARA 355.30	SARA 355.40
Nitrogen	Not regulated.	Not regulated.	Not regulated.
Argon	Not regulated.	Not regulated.	Not regulated.
Hydrogen	Not regulated.	Not regulated.	Not regulated.

### **SARA 370.21**

	Acute	Chronic	Fire	Reactive	Sudden Release
Nitrogen	Yes	No	No	No	Yes
Argon	Yes	No	No	No	Yes
Hydrogen	Yes	No	Yes	No	Yes

### **SARA 372.65**

Nitrogen	Not regulated.	
Argon	Not regulated.	
Hydrogen	Not regulated.	

### **OSHA Process Safety**

Nitrogen	Not regulated.	
Argon	Not regulated.	
Hydrogen	Not regulated.	

### **State Regulations**

CA Proposition 6		
Nitrogen	Not regulated.	
Argon	Not regulated.	
Hydrogen	Not regulated.	

### **Canadian Regulations**

	WHMIS Classification
Nitrogen	Α
Argon	Α
Hydrogen	A, B1.

### **National Inventory Status**

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Nitrogen	Listed on inventory.	Not listed.	Listed on inventory.
Argon	Listed on inventory.	Not listed.	Listed on inventory.
Hydrogen	Listed on inventory.	Not listed.	Listed on inventory.

## **Section 16: Other Information**

	NFPA Rating
Nitrogen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA
Argon	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA
Hydrogen	HEALTH=0 FIRE=4 REACTIVITY=0

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard