

3M High Performance Abrasive Solutions


Produce more. With less.



Cubitron™ 3


Performance Abrasives

Re-shaping the way work gets done.




Our latest 3M Precision-Shaped Grain

Re-engineered precision-shaped ceramic grain using a proprietary breakthrough in grain shape with curved sides. This helps increase productivity and lower overall grinding costs.



3M Precision-Shaped Grain

3M pioneered the first precision-shaped grain using 3M microreplication technology to form consistent sharp peaks that easily "slice" through metal—cutting cooler, faster, and lasting longer than conventional abrasive grain.



Conventional ceramic abrasive

Conventional ceramic abrasive grain tends to "plow" through metal, causing heat to build up in the workpiece and abrasive, resulting in a slower cut and shorter abrasive life compared to our latest precision-shaped grain.

3M Abrasive Solutions for:

- ▲ Cutting
- ▲ Grinding
- ▲ Shaping
- ▲ Cleaning
- ▲ Deburring
- ▲ Blending
- ▲ Finishing
- ▲ Polishing



FIBRE DISCS



GRINDING & CUT-OFF WHEELS



3M CUBITRON 3 CLOTH BELTS



SURFACE CONDITIONING DISCS



UNITIZED WHEELS



CLEAN & STRIP DISCS



BRISTLE DISCS

Not all items stocked at every location.

3M™ Cubitron™ 3 Fibre Discs and Roloc™

new

Breakthroughs in technology that redefine the limits of cut rate and total stock removal, with a focus on prioritizing productivity, safety, sustainability, and optimizing automation.

3M™ Cubitron™ 3 Fibre Discs 1182C and 1187C
3M™ Cubitron™ 3 Roloc™ 1187C

Now 36+, 60+
and 80+ grades
available!



More total material removed

Longer lasting abrasives with fewer changeouts needed and less downtime



Faster cut rate

Incredibly fast cut rate helps to increase throughput, maximize productivity and boost your bottom line



Less operator fatigue

Prioritize workplace wellbeing and motivation with less pressure required on the tool



Less vibration exposure

Helps improve workplace safety without compromising productivity



Cool cutting

Helps reduce metal discoloration and stress cracks — ultimately minimizing re-work



Sustainability at the core

Longer-lasting abrasives and recycled shipper packaging helps reduce carbon footprints and waste

Part#	Cubitron-3 Fiber Disc 1182C	MOQ	Back pad	Pad Type
7100309799	4-1/2" x 7/8" 36grit 1182C	100	7100258731	xtra-hard
7100349591	4-1/2" x 7/8" 60grit 1182C	100	7100363248	hard
7100349584	4-1/2" x 7/8" 80grit 1182C	100	7100362772	medium
7100309793	5" x 7/8" 36grit 1182C	100	7100258733	xtra-hard
7100349588	5" x 7/8" 60grit 1182C	100	7100362591	hard
7100349603	5" x 7/8" 80grit 1182C	100	7100362610	medium
7100309904	7" x 7/8" 36grit 1182C fi	100	7100258730	xtra-hard
7100349579	7" x 7/8" 60grit 1182C	100	7100360002	hard
7100349578	7" x 7/8" 80grit 1182C	100	7100362838	medium

Part#	Cubitron-3 Fiber Disc 1187C w/Grinding Aid	MOQ	Back pad	Pad Type
7100309788	4-1/2" x 7/8" 36grit 1187C	100	7100258731	xtra-hard
7100349589	4-1/2" x 7/8" 60grit 1187C	100	7100363248	hard
7100349592	4-1/2" x 7/8" 80grit 1187C	100	7100362772	medium
7100308532	5" x 7/8" 36grit 1187C	100	7100258733	xtra-hard
7100349499	5" x 7/8" 60grit 1187C	100	7100362591	hard
7100349604	5" x 7/8" 80grit 1187C	100	7100362610	medium
7100309906	7" x 7/8" 36grit 1187C	100	7100258730	xtra-hard
7100349566	7" x 7/8" 60grit 1187C	100	7100360002	hard
7100349567	7" x 7/8" 80grit 1187C	100	7100362838	medium

**3M™ Cubitron™ 3
Fibre Disc 1182C**

**Carbon steel
grinding**

**3M™ Cubitron™ 3
Fibre Disc 1187C**

**Stainless steel
grinding**

**1187C are
coated with a
grinding aid**

Reduces the risk of discoloration from thermal damage in heat sensitive metals

All 1187C Series Disc are coated with grinding aid better for stainless steel, cobalt chrome, and nickel alloy applications. Long-lasting disc offering a fast cut rate with high stock removal across a wide range of application pressures. Grades 36+, 60+ & 80+

Part#	Cubitron-3 ROLOC Disc Type-R 1187C w/Grinding Aid	MOQ	Back pad	Pad Type
7100331754	2" TR Roloc 36grit disc 1187C	200	7000045284	xtra-hard
7100331745	2" TR Roloc 60grit disc 1187C	200	7000000441	hard
7100331753	2" TR Roloc 80grit disc 1187C	200	7000045282	medium
7100331749	3" TR Roloc 36grit disc 1187C	200	7000045285	xtra-hard
7100332087	3" TR Roloc 60grit disc 1187C	200	7100002305	hard
7100332088	3" TR Roloc 80grit disc 1187C	200	7000000602	medium



2

**Locally Owned
and Operated
Since 1938**



**Call Purity Cylinder Gases for more
information 1-888-532-2375**

**Other sizes/styles available, call for
details! Backing Pads listed on page 8!**
Not all items stocked at every location.

New era

3M™ Cubitron™ 3 Cloth Belt 1184F

For Heavy and Intermediate Grinding

Featuring *re-engineered* 3M Precision-Shaped Grain, taking the legendary speed and life of 3M™ Cubitron™ Performance Abrasives to a whole new level. This new belt delivers faster cut rate and longer life compared to crushed ceramic competitors—providing the ultimate in performance.

3M™ Cubitron™ 3 Cloth Belt 1184F

- ✓ For highest productivity in medium-high pressure abrasive applications
- ✓ Lowest overall production cost
- ✓ Lowest overall spend in medium-high pressure

Applications:

For use on carbon steel and stainless steel for medium to high pressure applications.

Bench Top / Small Belts

3M Stock No.	UPC	W x L (In)	Grade	Min/Case
7100350490	06-38060-64055-5	1 x 72	60+	200
7100315931	06-38060-62789-1	2 x 60	36+	50
7100315929	06-38060-62787-7	2 x 72	36+	50
7100354014	00-68060-67137-0	2 x 72	80+	50
7100315932	06-38060-62790-7	2-1/2 x 60	36+	50
7100350514	00-638060-64059-3	2-1/2 x 72	60+	50
7100327370	00-638060-63313-7	3-1/2 x 15-1/2	36+	50
7100358075	00-68060-67125-7	3-1/2 x 15-1/2	60+	50
7100354016	00-68060-67131-8	3-1/2 x 15-1/2	80+	50
7100350491	06-38060-64056-2	4 x 60	60+	50
7100316194	06-38060-62792-1	6 x 48	36+	20
7100354021	00-68060-67122-6	6 x 48	60+	20

File / Portable Belts

3M Stock No.	UPC	W x L (In)	Grade	Min/Case
7100331234	06-380606-3503-2	1/2 x 13	36+	200
7100317560	06-38060-66605-5	1/2 x 18	36+	200
7100354022	00-68060-67124-0	1/2 x 18	60+	200
7100358082	00-68060-67131-8	1/2 x 18	80+	200
7100317516	06-38060-66606-2	1/2 x 24	36+	200
7100354019	00-68060-67121-9	1/2 x 24	60+	200
7100354018	00-68060-67135-6	1/2 x 24	80+	200
7100317510	06-38060-66607-9	3/4 x 18	36+	200
7100354015	00-68060-67120-2	3/4 x 18	60+	200
7100358081	00-68060-67129-5	3/4 x 18	80+	200
7100354143	00-68060-67128-8	1 x 11	60+	500
7100354144	00-68060-67132-5	1 x 11	80+	500

Medium/Long Belts

3M Stock No.	UPC	W x L (In)	Grade	Min/Case
7100316196	06-38060-62794-5	1 x 90	36+	100
7100317269	06-38060-66598-0	1 x 132	36+	100
7100354020	00-68060-67123-3	1 x 132	60+	200
7100354017	00-68060-67134-9	1 x 132	80+	200
7100317499	06-38060-66601-7	2 x 90	36+	50
7100315930	06-38060-62788-4	2 x 118	36+	50
7100317265	06-38060-66594-2	2 x 132	36+	50
7100358076	00-68060-67127-1	2 x 132	60+	50
7100358079	00-68060-67136-3	2 x 132	80+	50
7100317501	06-38060-66600-0	3 x 90	36+	50
7100317267	06-38060-66595-9	3 x 132	36+	25
7100358077	00-68060-67126-4	3 x 132	60+	25
7100358078	00-68060-67133-2	3 x 132	80+	25
7100317507	06-38060-66604-8	4 x 90	36+	50
7100317266	06-38060-66596-6	4 x 132	36+	25
7100358080	00-68060-67138-7	4 x 132	80+	25
7100317496	06-38060-66602-4	4 x 168	36+	25
7100350492	06-38060-64057-9	4 x 168	60+	50
7100316193	06-38060-62791-4	5 x 132	36+	25
7100317500	06-38060-66603-1	6 x 90	36+	20
7100317498	06-38060-66599-7	6 x 132	36+	10
7100331816	06-38060-62799-0	6 x 138	36+	10
7100350513	06-38060-64058-6	8 x 132	60+	50
7100350515	00-638060-64060-9	6 x 264	80+	20

Custom Sizes

3M Stock No.	UPC	W x L (In)	Grade	Min/Case
7100313150	06-38060-66475-4	Custom Size	36+	N/A
7100330154	00-68060-66866-0	Custom Size	60+	N/A
7100330153	00-68060-66865-3	Custom Size	80+	N/A

Other sizes available, including made to order specials, call for details.

Locally Owned
and Operated
Since 1938




Call Purity Cylinder Gases for more
information 1-888-532-2375

Not all items stocked at every location.

Grinding & Cut-Off Wheels

3M™ Cubitron™ 3 Depressed Center Grinding Wheels

Fast cutting, long lasting wheels that require less pressure for heavy grinding and weld removal.




Part#	Cubitron-3 Grinding Wheels	MOQ
7100303966	4-1/2" x 7/8"x1/4" T27 36g grinding wheel	10
7100303967	5" x 7/8"x1/4" T27 36g grinding wheel	10
7100313193	6" x 7/8"x1/4" T27 36g grinding wheel	20
7100313198	7" x 7/8"x1/4" T27 36g grinding wheel	20
7100313202	9" x 7/8"x1/4" T27 36g grinding wheel	20
7100312968	4-1/2" x 5/8-11x1/4" T27 36g grinding wheel	10
7100312967	5" x 5/8-11x1/4" T27 36g grinding wheel	10
7100312966	6" x 5/8-11x1/4" T27 36g grinding wheel	10
7100312965	7" x 5/8-11x1/4" T27 36g grinding wheel	10
7100312964	9" x 5/8-11x1/4" T27 36g grinding wheel	10


50% Longer life ¹




33% Less hand-arm vibration ¹




14% Faster cut ¹




43% Less noise ^{1,2}




3X Longer life ³



33% Less hand-arm vibration ³



10% Faster cut ³




3M™ Cubitron™ 3 Cut-Off Wheels

Designed to provide high cut rates and long life to help reduce cost.



Part#	Cubitron-3 Cut-Off Wheels Type-1	MOQ
7100304307	4-1/2" x 7/8" x.040 Type-1 36g cut-off wheel	50
7100304006	4-1/2" x 7/8" x.045 Type-1 36g cut-off wheel	25
7100304007	5" x 7/8" x.045 Type-1 36g cut-off wheel	50
7100313190	6" x 7/8" x.045 Type-1 60g cut-off wheel	25
Part#	Cubitron-3 Cut-Off Wheels Type-27	MOQ
7100304008	4-1/2" x 7/8" x.045 Type-27 36g cut-off wheel	50
7100304010	5" x 7/8" x.045 Type-27 36g cut-off wheel	50
7100313201	6" x 7/8" x.045 Type-27 60g cut-off wheel	50

Scotch-Brite™ Precision And Precision Heavy Duty Surface Conditioning Discs



Light Grinding Blending
Deburring Refining
Edge Breaking

High-pressure applications

An extension of 3M's Precision Surface Conditioning Disc family, this heavy duty option is designed for durability, long product life, and consistent performance. These discs last longer than competitive premium nonwoven abrasives while offering edge durability and shape retention during edge wear.

The heavy duty family identified by the black backing and white font.

PSG technology built into the product.

Tech Tip

Ever wondered what grit mineral is in your nonwoven?

Now including the size of PSG to better understand the positioning of our grades of Precision Heavy Duty Surface Conditioning Discs.

Multi-purpose

Scotch-Brite™ Surface Conditioning Discs

Cleaning, Blending, Refining, Radiusing, Finishing and Polishing

Aluminum Oxide / Silicon Carbide for SFN
SFN, VFN, MED, CRS

Scotch-Brite™ Precision Surface Conditioning

Light Grinding, Deburring, Blending, Refining, Radiusing, Cleaning and Finishing

With 3M Precision-Shaped Grain
VFN, FIN, MED, CRS, XCRS

Heavy Duty

Scotch-Brite™ Precision Heavy Duty Surface Conditioning Discs

Light Grinding, Deburring, Edge Breaking, Blending and Refining

With 3M Precision-Shaped Grain
MED, CRS, XCRS, XXCRS

new

Part#	Scotch-Brite Precision Heavy Duty Surface Conditioning Disc	MOQ	Back pad	Pad Type
7100358923	5" hook & loop medium/150+ disc	50	7000120889	hard
7100358904	5" hook & loop coarse/120+ disc	50	7000120889	hard
7100358924	5" hook & loop extra coarse/80+ disc	50	7000120889	hard
7100358905	5" hook & loop extra extra coarse/60+ disc	50	7000120889	hard
7100359487	2" Roloc TR medium/150+ disc	25	7000045282	medium
7100359489	2" Roloc TR coarse/120+ disc	25	7000000441	hard
7100359479	2" Roloc TR extra coarse/80+ disc	25	7000045284	xtra-hard
7100359490	2" Roloc TR extra extra coarse/60+ disc	25	7000045284	xtra-hard
7100359480	3" Roloc TR medium/150+ disc	100	7000000602	medium
7100359491	3" Roloc TR coarse/120+ disc	100	7100002305	hard
7100359481	3" Roloc TR extra coarse/80+ disc	100	7000045285	xtra-hard
7100359753	3" Roloc TR extra extra coarse/60+ disc	100	7000045285	xtra-hard


Scotch-Brite™ Precision Surface Conditioning Discs

Applications

These premium multi-purpose discs are designed to streamline surface conditioning processes including cleaning, blending, deburring and finishing. Conformable nonwoven material cleans and finishes surfaces without gouging, undercutting or damaging the base material.



Part#	Scotch-Brite Precision Surface Conditioning Disc	MOQ	Back pad	Pad Type
7100263913	5" hook & loop Fine surface conditioning disc	50	7000120889	hard
7100263914	5" hook & loop Medium surface conditioning disc	50	7000120889	hard
7100263915	5" hook & loop Coarse surface conditioning disc	50	7000120889	hard
7100263918	5" hook & loop Extra Coarse surface conditioning disc	50	7000120889	hard
7100264171	2" Roloc TR Fine surface conditioning disc	25	7000045282	medium
7100272016	2" Roloc TR Medium surface conditioning disc	25	7000045282	medium
7100272236	2" Roloc TR Coarse surface conditioning disc	25	7000000441	hard
7100264172	2" Roloc TR Extra Coarse surface conditioning disc	25	7000045284	xtra-hard
7100264195	3" Roloc TR Fine surface conditioning disc	100	7000000602	medium
7100264196	3" Roloc TR Medium surface conditioning disc	100	7000000602	medium
710 0264197	3" Roloc TR Coarse surface conditioning disc	100	7100002305	hard
7100264198	3" Roloc TR Extra Coarse surface conditioning disc	100	7000045285	xtra-hard



Locally Owned
and Operated
Since 1938



Call Purity Cylinder Gases for more
information 1-888-532-2375

Other sizes/styles available, call for
details! Backing Pads listed on page 8!
Not all items stocked at every location.

Scotch-Brite™ Unitized Wheels

COOL UNDER PRESSURE.

Scotch-Brite™ Unitized Wheels are manufactured with compressed, nonwoven fiber construction and uniform grain distribution. These rugged, fast cutting wheels produce great results on all types of metal, composites and glass.

Part#	Scotch-Brite Roloc Deburr & Finish Pro Unitized Wheels	MOQ	Back pad	Pad Type
7010365721	2" x1/4"xNH Roloc TR Unitized Pro 2S FIN	15	7000045282	medium
7100086108	2" x1/4"xNH Roloc TR Unitized Pro 4C MED	15	7000045282	medium
7100081368	2" x1/8"xNH Roloc TR Unitized Pro 6C MED	60	7000045282	medium
7100081367	2" x1/4"xNH Roloc TR Unitized Pro 6C MED	60	7000045282	medium
7100109131	2" x1/4"xNH Roloc TR Unitized Pro 8C CRS	15	7000000441	hard
7100255850	2" x1/8"xNH Roloc TR Unitized Pro 8C CRS	60	7000000441	hard
7100290649	2" x1/4"xNH Roloc TR Unitized Pro 9C EX-CRS	15	7000045284	xtra-hard
7010329346	3" x1/4"xNH Roloc TR Unitized Pro 2S FIN	10	7000000602	medium
7010295274	3" x1/4"xNH Roloc TR Unitized Pro 4C MED	10	7000000602	medium
7010300983	3" x1/8"xNH Roloc TR Unitized Pro 4C MED	40	7000000602	medium
7100081366	3" x1/8"xNH Roloc TR Unitized Pro 6C MED	40	7000000602	medium
7100081365	3" x1/4"xNH Roloc TR Unitized Pro 6C MED	40	7000000602	medium
7100255898	3" x1/4"xNH Roloc TR Unitized Pro 8C MED	40	7000000602	medium
7100255897	3" x1/8"xNH Roloc TR Unitized Pro 8C MED	40	7000000602	medium
7100109130	3" x1/8"xNH Roloc TR Unitized Pro 8C CRS	40	7100002305	hard
7100109110	3" x1/4"xNH Roloc TR Unitized Pro 8C CRS	10	7100002305	hard
7100291543	3" x1/4"xNH Roloc TR Unitized Pro 9C EX-CRS	10	7000045285	xtra-hard

Other sizes/styles available,
call for details!



Roloc™



Scotch-Brite™ Deburr and Finish Pro Unitized Wheels

Quickly polish, finish, blend and deburr

3M Precision-Shaped Grain is engineered to cut fast and sharp, enabling quicker burr removal

Nonwoven construction minimizes loading and change to part geometry

Soft and conformable, to reduce defects, yet wear like iron, for fewer wheel changeouts

3M PRECISION SHAPED GRAIN + NONWOVEN TECHNOLOGY

Scotch-Brite™ Deburr and Finish Pro Unitized Wheels combine 3M Precision Shaped Grain with our nonwoven technology, so you get a wheel that's soft enough to reduce defects but wears like iron without sacrificing the smooth feel and control you expect from Scotch-Brite Wheels.



Roloc™



Scotch-Brite™ EXL Unitized Deburring Wheels

For deburring, finishing and polishing of all metal alloys and plastics and composites

Densities and grades ranging from soft and conformable to hard and aggressive offer utility for a wide variety of applications

Resists smearing and minimizes heat buildup on the work piece

Conformable to complex-shaped parts

Part#	Scotch-Brite Roloc EXL Unitized Wheels	MOQ	Back pad	Pad Type
7100000860	2" Roloc TR EXL Unitized wheel 2A MED	60	7000045282	medium
7000045976	2" Roloc TR EXL Unitized wheel 2S FIN	60	7000045282	medium
7000045977	2" Roloc TR EXL Unitized wheel 6S FIN	60	7000045282	medium
7000045979	2" Roloc TR EXL Unitized wheel 6A MED	60	7000045282	medium
7000045980	2" Roloc TR EXL Unitized wheel 8A MED	60	7000045282	medium
7100000871	2" Roloc TR EXL Unitized wheel 8A CRS	60	7000000441	hard
7100000858	3" Roloc TR EXL Unitized wheel 2A MED	40	7000000602	medium
7100005209	3" Roloc TR EXL Unitized wheel 2S FIN	40	7000000602	medium
7000045978	3" Roloc TR EXL Unitized wheel 6S FIN	40	7000000602	medium
7000028469	3" Roloc TR EXL Unitized wheel 6A MED	40	7000000602	medium
7000045981	3" Roloc TR EXL Unitized wheel 8A MED	40	7000000602	medium
7000028470	3" Roloc TR EXL Unitized wheel 8A CRS	40	7100002305	hard

Scotch-Brite™ Clean and Strip Pro Discs

XT PRO

Rust, paint, light mill scale removal

Maintains workpiece shape

Low sparking

Ideal for surface prep

Made with silicon carbide mineral



BOTH

Rapid coating removal and surface prep

Decreased chunking — extended life

Highly conformable

High speed rating

Quick change, spin-on thread

XT PRO EXTRA CUT

Heavy rust / rust pit removal without leaving divots

Thick paint and coating removal

Weld refinement and removing weld discoloration

Cuts to bare metal quickly

Ideal for adhesion prep

Made with aluminum oxide mineral



Part#	Scotch-Brite Clean & Strip Disc	MOQ	Back pad	Pad Type
7100175521	2" Roloc TR Clean & Strip XT Pro SIC Extra Coarse purple disc	10	7000000441	hard
7100173795	3" Roloc TR Clean & Strip XT Pro SIC Extra Coarse purple disc	10	7100002305	hard
7100176093	4-1/2" x 5/8-11 T27 Clean & Strip XT Pro SIC Extra Coarse purple disc	10	NA	NA
7100179815	2" Roloc TR Clean & Strip XT Pro Extra Cut A/O Extra Coarse green	10	7000045284	xtra-hard
7100173790	3" Roloc TR Clean & Strip XT Pro Extra Cut A/O Extra Coarse green	10	7000045285	xtra-hard
7100176126	4-1/2" x 5/8-11 T27 Clean & Strip Pro Extra Cut A/O Extra Coarse green	10	NA	NA


Scotch-Brite™ Bristle Brushes And Discs



Bristle spacing is ideal for removing paint, stains, adhesives, weld burn, rust and other high-loading substances

Proprietary 3M™ Ceramic Abrasive Grain provides aggressive cut and consistent finish throughout the life of the disc

Flexible bristles require less pressure than wire brushes and conform to contours



MORE EFFECTIVE THAN WIRE BRUSHES

Scotch-Brite™ Bristle products contain 3M's patented long-lasting 3M™ Ceramic Abrasive Grain, which provide a fast, more uniform finish. This means that as the disc wears, fresh mineral is always exposed, delivering improved productivity and value.

Part#	Scotch-Brite Bristle Disc	MOQ	Back pad	Pad Type
7000000775	2" Roloc bristle disc TR P36/purple	4	7000000441	hard
7000000742	2" Roloc bristle disc TR P50/green	10	7000000441	hard
7000000743	2" Roloc bristle disc TR P80/yellow	10	7000045282	medium
7100138181	4-1/2" x 5/8-11 Roloc bristle disc TR P36/brown	10	NA	NA
7100138173	4-1/2" x 5/8-11 Roloc bristle disc TR P50/green	10	NA	NA
7100138174	4-1/2" x 5/8-11 Roloc bristle disc TR P80/yellow	10	NA	NA
7100138175	4-1/2" x 5/8-11 Roloc bristle disc TR P120/white	10	NA	NA

Available in many sizes and configurations to be run on all kinds of tools. Call for details & demo!


Locally Owned
and Operated
Since 1938




Call Purity Cylinder Gases for more
information 1-888-532-2375

Other sizes/styles available, call for
details! Backing Pads listed on page 8!
Not all items stocked at every location.

3M™ Accessories: Holders & Back-up Pads



Product	Part#	Diameter	Attachment	Density	Max RPM	MOQ
Pads for Cubitron-3 Fiber Disc:		NOTE: Retainer Nut, sold seperately, is listed below!				
	3MI 7100258731	4-1/2"	5/8-11	Extra-hard (red)	13,300	10
	3MI 7100258733	5"	5/8-11	Extra-hard (red)	12,000	1
	3MI 7100258730	7"	5/8-11	Extra-hard (red)	8,600	10
	3MI 7100363248	4-1/2"	5/8-11	Hard (black)	13300	10
	3MI 7100362591	5"	5/8-11	Hard (black)	12000	1
	3MI 7100360002	7"	5/8-11	Hard (black)	8600	10
	3MI 7100362772	4-1/2"	5/8-11	Medium (gray)	13300	10
	3MI 7100362610	5"	5/8-11	Medium (gray)	12000	1
	3MI 7100362838	7"	5/8-11	Medium (gray)	8600	10
	3MI 7000120474	5/16" Depth	5/8-11	Retainer Nut	NA	1
Pads for ROLOC Type-R Quick-Change Disc		NOTE: shank, sold seperately, is listed below!				
	3MI 7000045284	2"	Roloc TR	Extra-hard (red)	25,000	1
	3MI 7000045285	3"	Roloc TR	Extra-hard (red)	20,000	1
	3MI 7000000441	2"	Roloc TR	Hard (black)	25,000	1
	3MI 7100002305	3"	Roloc TR	Hard (black)	20,000	1
	3MI 7000045282	2"	Roloc TR	Medium (gray)	25,000	5
	3MI 7000000602	3"	Roloc TR	Medium (gray)	18,000	5
	3MI 7000045770	1/4" Shank w/1/4-20 INT for use with Roloc Pads above				
Scotch-Brite Hook & Loop Universal Back-Up Pads						
	3MI 7000120889	5"	5/8-11	Hard (black)	10,000	1
	3MI 7000046035	4-1/2"	5/8-11	Hard (black)	13,000	1

One-piece design for added convenience. Extra-hard face plate designed to get the most out of your coarse grade fibre discs. Ribbed face plate designed to increase unit pressure.

Optimizes the performance of our discs by providing the right backup system and a secure attachment for grinding applications. Plus it saves time, making disc changes quick and easy.

REV APR2025



Grand Rapids
(616) 532-2375 1-888-532-2375

Angola, IN
(260) 665-7241

Battle Creek, MI
(269) 660-1907

Cadillac, MI
(231) 779-2468

Elkhart, IN
(574) 389-8760

Fort Wayne, IN
(260) 497-7565

Gaylord, MI
(989) 731-1111

Holland, MI
(616) 848-7650

Kalamazoo, MI
(269) 344-0518

Lansing, MI
(517) 321-9555

Mt. Pleasant, MI
(989) 775-0898

Muskegon, MI
(231) 773-2510

Pierceton, IN
(574) 594-2551

Saginaw, MI
(989) 755-4344

Traverse City, MI
(231) 922-0851

Warsaw, IN
(574) 267-6066

Wixom, MI
(248) 230-8468

**Family Owned & Locally
Operated Since 1938**



puritygas.com

**CHECK OUT OUR
WEBSTORE!**



Not all items stocked at every location.